



Electric

Wanders fires & stoves | 2024

wanders.com



wanders
fires & stoves

MODERN  FLAMES

Index


Electric

- 04 - 05 Orion Multi
- 06 - 07 Orion Traditional
- 08 - 09 Orion Traditional Black Edition Low
- 10 - 11 Orion Traditional Black Edition High
- 12 - 13 Landscape Pro Multi (LPM) (built in)
- 14 - 15 Aurora /Redstone (insert, free standing)
- 16 - 17 Aurora/Redstone Black Edition Low
Aurora/Redstone Black Edition High
- 18 - 19 Nebula /Sedona (built in)
- 20 - 21 Nebula/Sedona 610 Wall
Nebula/Sedona 610 Base




Orion Multi


Art. Nr.	A	B	C	D	E	F	G	H	I	J	K
ELE7000 - Orion Multi 30"	762	615	240	733	606	224	730	468	51	87	132
ELE7010 - Orion Multi 52"	1308	618	240	1286	606	224	1274	468	52	87	132



Orion Multi



Orion Multi



Orion Series Remote

Flame Styles
Cycles between 3 flamestyles. Maintains the current flame color.

Power ON/OFF

Preset's
Increases/Decreases flame speed of current flame.

Downlight Color
Switches between to RGB Down-light colors and auto cycle.

Ember Bed Color
Switches between to RGB Ember bed colors and auto cycle.

Timer
Timer to turn OFF unit at desired time. From NO timer to 8 hours.

Home
All zones reset to default setting.

Sound
4 levels

Speeds
Increases/Decreases speed of current style.

Downlight Brightness
Changes Downlight brightness level.


Ember Bed Brightness
Changes Ember bed brightness level.

Heat
Heat cycles between OFF/Fan/Low/High.

MODERN FLAMES

Orion Traditional

Art. Nr.	A	B	C	D	E	F	G	H	I	J	K
ELE7110 - Orion traditional 26"	636	500	250	578	470	238	570	433	51	87	132
ELE7120 - Orion traditional 30"	776	500	250	711	470	238	702	433	52	87	132
ELE7130 - Orion traditional 36"	890	630	250	823	600	238	816	563			



Orion Traditional



Orion Series Remote

- Flame Styles**: Cycles between 3 flamesyles. Maintains the current flame color.
- Power ON/OFF**: Power ON/OFF
- Home**: All zones reset to default setting.
- Preset's**: Increases/Decreases flame speed of current flame.
- Sound**: 4 levels
- Downlight Color**: Switches between 10 RGB Down-light colors and auto cycle.
- Speeds**: Increases/Decreases speed of current style.
- Ember Bed Color**: Switches between 10 RGB Ember bed colors and auto cycle.
- Downlight Brightness**: Changes Downlight brightness level.
- Ember Bed Brightness**: Changes Ember bed brightness level.
- Timer**: Timer to turn OFF unit at desired time. From NO timer to 8 hours.
- Heat**: Heat cycles between OFF/Fan/Low/High.


MODERN FLAMES

Orion Traditional




Orion Traditional Black Edition Low


Orion 26" Traditional Black Edition Low



Orion 30" Traditional Black Edition Low




Orion 36" Traditional Black Edition Low




Orion Traditional Black Edition High


Orion 26" Traditional Black Edition High



Orion 30" Traditional Black Edition High



Orion 36" Traditional Black Edition High




Orion Traditional Black Edition High



Orion Traditional Black Edition High


Landscape Pro Multi

Art.Nr.	Configuration	Viewing area (mm)			Firebox dimensions (mm)					
		A	B	C	D	E	F	G	H	I
ELE1000 (LPM4416)	Front	1115	-	394	1118	632	292	115	115	-
	Corner L/R	1115	127	394	1118	632	292	115	115	105
	3 Sides glass	1115	127	394	1118	632	292	115	115	105
ELE1020 (LPM5616)	Front	1420	-	394	1423	632	292	115	115	-
	Corner L/R	1420	127	394	1423	632	292	115	115	105
	3 Sided glass	1420	127	394	1423	632	292	115	115	105
ELE1030 (LPM6816)	Front	1725	-	394	1728	632	292	115	115	-
	Corner L/R	1725	127	394	1728	632	292	115	115	105
	3 Sided glass	1725	127	394	1728	632	292	115	115	105
ELE1040 (LPM8016)	Front	2029	-	394	2032	632	292	115	115	-
	Corner L/R	2029	127	394	2032	632	292	115	115	105
	3 Sided glass	2029	127	394	2032	632	292	115	115	105
ELE1050 (LPM9616)	Front	2438	-	394	2441	632	292	115	115	-
	Corner L/R	2438	127	394	2441	632	292	115	115	105
	3 Sided glass	2438	127	394	2441	632	292	115	115	105




Aurora/Redstone

Art.Nr.	Configuration	Viewing area (mm)		Art.Nr.	Configuration	Firebox dimensions (mm)								
		A	B			C	D	E	F	G	H	I	J	K
ELE2000	Aurora 610	610	479	ELE2000	Aurora 610	250	578	470	234	578	390	110	32	1800
ELE2010	Aurora 740	743	479	ELE2010	Aurora 740	250	710	470	234	711	390	110	32	1800
ELE2020	Aurora 860	857	610	ELE2020	Aurora 860	250	824	600	234	825	521	110	32	1800




Aurora/Redstone Black Edition Low

Aurora/Redstone 610 Black Edition Low




Aurora/Redstone 740 Black Edition Low




Aurora/Redstone Black Edition High

Aurora/Redstone 610 Black Edition High



Aurora/Redstone 740 Black Edition High



Aurora/Redstone 610 Black Edition Low




Aurora/Redstone 610 Black Edition High



Nebula/Sedona


Art.Nr.	Configuration	Viewing area (mm)			Firebox dimensions (mm)					
		A	B	C	D	E	F	G	H	I
ELE2100 (Nebula 610)	Front	610	-	660	613	889	318	115	115	-
	Corner L/R	610	127	660	613	889	318	115	115	131
	3 Sided glass	610	127	660	613	889	318	115	115	131
ELE2110 (Nebula 760)	Front	760	-	660	763	889	318	115	115	-
	Corner L/R	760	127	660	763	889	318	115	115	131
	3 Sided glass	760	127	660	763	889	318	115	115	131
ELE2120 (Nebula 910)	Front	910	-	660	913	889	318	115	115	-
	Corner L/R	910	127	660	913	889	318	115	115	131
	3 Sided glass	910	127	660	913	889	318	115	115	131




Nebula/Sedona 610 Wall

Nebula/Sedona 610 Base

Nebula/Sedona 610 Wall



Nebula/Sedona 610 Base




Nebula/Sedona 610 Wall



Nebula/Sedona 610 Base







wanders
fires & stoves



Amtweg 4, NL-7077 AL Netterden
The Netherlands
T +31 (0)315 - 386 414
E info@wanders.com
I www.wanders.com

Wijzigingen, typ- en zetfouten voorbehouden | All right reserved |
Änderungen, Druckfehler vorbehalten | Droits de modification et erreurs réservés